

# HURIKAN 150E

STATIC/MOBILE INCINERATION UNIT



Mobile incinerators are the most efficient way of processing bulk waste in remote or varied locations. They are the quickest way to effectively contain outbreak of disease and epidemics. Bio-security is assured by moving the incinerator not the diseased carcasses. Held in reserve, a fleet of mobile incinerators can be deployed even faster, preventing the spread of diseases such as avian flu.



# MOBILE

## UNIQUE FEATURES:

- fully transportable
- ideal for remote locations
- fully self-sufficient

(Please note: all other features shown are applicable to both mobile and static incinerators)



### ON BOARD STORAGE

- secure storage for transportation




### WINCH MECHANISM

- easy loading
- robust

### INTEGRAL FUEL TANK

- fully bunded tank
- detachable for safe use

\*Alternative fuel tank option available



### ON BOARD GENERATOR

- ideal for remote locations



### TIGERLOOP

- full filter system
- eliminates air locks
- trouble free operation

T: +44(0)1905 362100 F: +44(0)1905 362101

# STATIC



## CONTROL PANEL

- fully automatic
- simple, easy to use
- IPGJ



## DOOR OPENING AUTO LOADING HOPPER

- controlled loading
- maximise throughput
- operator safety



## ASH DOOR

- easy ash removal
- allows continuous use



?????

- ?????
- ?????

HURIKAN150E	STATIC	MOBILE
OVERALL LENGTH	2305mm	5250mm
OVERALL WIDTH	2196mm	2370mm
OVERALL HEIGHT	3322mm	3950mm
PRIMARY VOLUME	0.42m <sup>3</sup>	0.42m <sup>3</sup>
LOAD CAPACITY	150kg	150kg
BURN RATE	<150kg/hr	<150kg/hr
WEIGHT	?	<3500kg
STORAGE	X	✓
DETACHABLE FUEL TANK	X	✓
ALTERNATIVE FUEL TANK	X	✓
GENERATOR	X	✓
TOP LOADING	✓	✓
WINCH	✓	✓
MANUAL LOADING HOPPER	✓	✓
CONTROL PANEL	?	?
HEARTH BARS	?	?
ASH REMOVAL	✓	✓
ABPR 1069/2009 COMPLIANT	✓	✓
OPERATIONAL TIME	?	Within 20 minutes of arriving on site

#### Fast burn rate

The 150 kg per hour burn rate and unique method of de-ashing during operation (allowing continuous use) ensures that carcasses can be disposed of at speed, reducing the likelihood of disease spreading.

#### Unique mobility

Its compact size gives extra mobility, which is vital where incineration is needed in remote, difficult to access areas. Fully road legal and at less than 3.5 tonnes, it can be towed by any suitable vehicle.

#### Rapid deployment

The HURIKAN 150E MOBILE can be operational within 20 minutes of arriving on site, facilitating the swift containment of disease and saving unnecessary labour costs.

#### Simple to use


Automatic burn cycles and manually operated waste loading as standard enable easy, effective incineration, operable by all.

#### Robust construction

Made from high quality materials, the HURIKAN is designed to cope with the intensive nature of mass incineration.

#### Legislation compliance

The HURIKAN 150E is fully EU legislation ABPR 1069/2009 compliant and for efficiency and cleaner emissions.



For more information contact:

T: +44(0)1905 362100 F: +44(0)1905 362101

E: [sales@wastespectrum.com](mailto:sales@wastespectrum.com) [www.wastespectrum.com](http://www.wastespectrum.com)